



PATENTS

IN THE U.S. PATENT AND TRADEMARK OFFICE

In re Application of:

Docket No. 45455/250498

Toshihisa INOUE et al.

Serial No. 09/701,962

Filed: March 5, 2001

For: Ion Activity-Measuring Device and Method for Producing the Same

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a paper in the above-identified application.

- ☐ Second Response.
- ☐ No additional fee is required.

				SMALL ENTITY		OTHER THAN SMALL ENTITY	
CLAIMS REMAINING AFTER AMENDMENT		HIGHEST PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE	RATE	ADDIT. FEE
TOTAL	7	MINUS 20=	0	x9	\$	x18	\$-0-
INDEP.	1	MINUS 3=	0	x42	\$	x84	\$-0-
FIRST PRESENTATION OF							
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS				+140	\$	+280	\$
TOTAL				ADDITIONAL FEE		\$	
						\$-0-	

- ☒ The Commissioner is hereby authorized to charge any additional fees required under 37 CFR §1.16, or credit any overpayment, to Account No. 11-0855. A duplicate copy of this sheet is enclosed.

I hereby certify that this correspondence is being deposited with
with the United States Postal Service as first class mail in an
envelope addressed to: Commissioner for Patents,
P.O. Box 1450, Alexandria, VA 22313-1450, on August 11, 2003.

Signature

KILPATRICK STOCKTON LLP
1100 Peachtree Street
Suite 2800
Atlanta, Georgia 30309-4530
Telephone: 404/815-6500

By: Roger T. Frost
Roger T. Frost, Attorney for Applicant
Reg. No. 22,176



PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 09/701,962
Applicant : Toshihisa INOUE et al.
Filed : March 5, 2001
Title : ION ACTIVITY-MEASURING DEVICE AND METHOD FOR
PRODUCING THE SAME

Art Unit : 2881
Examiner : Anthony G. Quash

Docket No. : 45455/250498

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SECOND RESPONSE

Sir:

Responsive to the Office action dated May 9, 2003 in the patent application identified above, please reconsider that application in view of the following remarks.

The undersigned thanks Examiner Quash for the telephone interview conducted on July 11, 2003. During that interview, the undersigned pointed out that *Conover* (4,713,165) fails to teach a device as claimed, including a hydrophobic bridge having hydrophilic portions contacting the liquid reservoirs of the device. The Examiner said he would further review *Conover* in view of that argument, and requested the undersigned to present that position in a formal response to the last Office action. No agreement was reached during this interview.

The following remarks further present and elaborate on the applicants' position taken during the telephone interview.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 11, 2003.

Roger T. Frost, Reg. No. 22,176

Application No. 09/701,962

Amendment dated August 11, 2003

Reply to Office action dated May 9, 2003

Remarks begin on page 3 of this paper.